

# PROMO

# SCHUNK Selection kit

The all-round package for a wide range of applications

# Hand in hand for tomorrow



# **SCHUNK Selection kit**

# From compact and radially rigid to long and optimized for interference contours

From milling applications to precision machining and machining of hard-to-reach areas. With the SCHUNK Selection kit you are prepared for a wide range of applications.

The set consisting of TENDO Silver, TENDO Slim 4ax and TENDO E compact covers up to 26 different application variants in combination with the included intermediate sleeves and clamping extensions. This means you are perfectly prepared for a wide range of applications. Whether drilling, milling, finishing or threading, the set offers a suitable combination for almost everything.

With the SCHUNK Selection kit, you are not only equipped for existing applications, but also for future applications. The set is therefore particularly suitable for users with small batch sizes or frequently changing requirements.

All components are easy to handle and can be used directly without additional peripheral devices. In addition, the SCHUNK Selection kit fits seamlessly into the SCHUNK component world and can be easily expanded at any time.



# Advanced toolholder Technology in one package



### **TENDO Silver**

Affordable entry into hydraulic expansion technology with the best price-performance ratio in direct clamping.

# **TENDO E compact**

The TENDO E compact hydraulic expansion toolholder impresses in milling, drilling, reaming, threading and HPC applications. With up to 300 % longer tool service life.

### TENDO Slim 4ax

Hydraulic expansion toolholder with heat-shrinking contour to DIN 69882-8 for axial machining and and radial fine machining.

### TRIBOS SVL

By using TRIBOS SVL extensions, standard cutting tools can be used instead of expensive special tools.

# **GZB-S Intermediate sleeves**

SCHUNK intermediate sleeves enable the clamping of several different shank diameters with just one toolholder.

### **TRIBOS-Mini SVP**

With the updated clamping unit TRIBOS-Mini SVP, tools can be changed in a matter of seconds.

# The set with the decisive added value

Up to 26 different application possibilities G Through the combination of toolholders, intermediate sleeves and clamping extension

# Impressive technology mix

Proven hydraulic expansion technology, polygonal clamping extensions and intermediate sleeves

High flexibility Milling, threading, drilling and finishing

- all in one package

Available interfaces CAT40, HSK-A63 and BT30



Cylinder head machining with the TENDO Slim 4ax



#### Compatibility

The SCHUNK Selection kit can be expanded with complementary products at any time

### ß

#### Easy handling

All components can be easily combined with each other and are ready for immediate use



### Wide range of applications

from powerful machining to precision fine machining and the machining of hard-to-reach areas



Inserting grooves with the TENDO E compact



# Get it now at a special price!

The SCHUNK Selection Kit is available for the CAT40, HSK-A63 and BT30 interfaces and comes with an actuating key, GZB-S sleeve puller and SVP clamping device. Promotion period until **May 31, 2025** 

# Special offer Up to 35% saving

|                           | TENDO E compact Ø20   | TENDO Slim 4ax Ø12     | TENDO Silver Ø6        | TENDO Silver Ø8        | TENDO Silver Ø12       |
|---------------------------|-----------------------|------------------------|------------------------|------------------------|------------------------|
| Direct clamping           | Milling and threading | Finishing and drilling | Finishing and drilling | Finishing and drilling | Finishing and drilling |
| GZB-S Ø20/Ø6 KD           | Milling and threading |                        |                        |                        |                        |
| GZB-S Ø20/Ø8 KD           | Milling and threading |                        |                        |                        |                        |
| GZB-S Ø20/Ø10 KD          | Milling and threading |                        |                        |                        |                        |
| GZB-S Ø20/ Ø12 KD         | Milling and threading |                        |                        |                        |                        |
| TRIBOS-Mini SVL-12 Ø3x100 | Drilling              | Drilling               |                        |                        | Drilling               |
| TRIBOS-Mini SVL-12 Ø4x100 | Drilling              | Drilling               |                        |                        | Drilling               |
| TRIBOS-Mini SVL-12 Ø6x100 | Drilling              | Drilling               |                        |                        | Drilling               |
| GZB-S Ø12/Ø3 KD           |                       | Milling and drilling   |                        |                        | Milling and drilling   |
| GZB-S Ø12/Ø4 KD           |                       | Milling and drilling   |                        |                        | Milling and drilling   |
| GZB-S Ø12/Ø6 KD           |                       | Milling and drilling   |                        |                        | Milling and drilling   |
| GZB-S Ø12/Ø8 KD           |                       | Milling and drilling   |                        |                        | Milling and drilling   |
| TRIBOS-Mini SVP           |                       |                        |                        |                        |                        |

| Package interface | ldent number |
|-------------------|--------------|
| HSK-A63           | 1596995      |
| BT30              | 1597050      |
| BT40              | 1597049      |
| CAT40             | 1601213      |

# **Interested?**

Then talk to us. We will be happy to advise you on the products and possible applications of the SCHUNK Selection kit.

#### Phone: 1-800-772-4865 E-Mail: toolholding@us.schunk.com

\*Table above is for HSK-A63 kit only, contact for more details on contents of other kits



SCHUNK SE & Co. KG Spanntechnik Greiftechnik Automatisierungstechnik Bahnhofstr. 106 – 134 D-74348 Lauffen/Neckar Tel. +49-7133-103-0 info@de.schunk.com schunk.com Follow us

in 🕨 🔿 💥 🛟 🏹

